

**USER CHARGE SELF MONITORING REPORT**

NAME:	A & B FAMOUS GEFILTE FISH, INC.	
ADDRESS:	209 MCLEAN BOULAVARD PATERSON, NJ 07504	
FACILITY LOCATION:	209 MCLEAN BOULAVARD PATERSON, NJ 07504	
NEW CUSTOMER ID / OUTLET ID:	27210031 - 1	OLD OUTLET DESIGNATION:


MONITORING PERIOD					
Start			End		
Apr	01	08	Apr	30	08
MO	DAY	YR	MO	DAY	YR

VOL DISCHARGED THIS PERIOD			
66938.52		GALS	
CU. FT X 7.48 = GALLONS			
51143	-	50201	= 942 X 10 X 7.48 = 70461.6 -5%=
EFFLUENT METER READING LAST DAY THIS			
PERIOD	51143	Last Period	50201

DATE	BOD	TSS
Apr 15 2008	451 (mg/l) ✓	239 (mg/l) ✓

DATE	BOD	TSS

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL OR AUTHORIZED AGENT	TYPE NAME AND TITLE	TELEPHONE NUMBER
	Motty Berger	973-523-4101 ext. 103
		DATE May 21, 2008

**USER CHARGE SELF MONITORING REPORT**

NAME: A &amp; B FAMOUS GEFILTE FISH, INC.

ADDRESS: 209 MCLEAN BOULAVARD PATERSON, NJ 07504

FACILITY LOCATION: 209 MCLEAN BOULAVARD PATERSON, NJ 07504

NEW CUSTOMER ID / OUTLET ID: 27210031 - 1

OLD OUTLET DESIGNATION:


MONITORING PERIOD					
Start			End		
Apr	01	08	Apr	30	08
MO	DAY	YR	MO	DAY	YR

VOL DISCHARGED THIS PERIOD			
66938.52		GALS	
CU. FT X 7.48 = GALLONS			
51143	-	50201 =	942 X 10 X 7.48 = 70461.6 -5%=
EFFLUENT METER READING LAST DAY THIS			
PERIOD	51143	Last Period	50201

DATE	BOD	TSS
Apr 15 2008	451 (mg/l)	239 (mg/l)

DATE	BOD	TSS

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL OR AUTHORIZED AGENT	TYPE NAME AND TITLE	TELEPHONE NUMBER
	Motty Berger	973-523-4101 ext. 103
		DATE May 21, 2008

NJDEP Certified Laboratory No. 14964  
973-335-CALI  
FAX 973-335-0556  
E-MAIL: calilabs@earthlink.net  
WEBSITE: www.calilabs.com

COMPLETE ANALYSIS LABORATORIES INC.



1259 Route 46, Building #4/C  
Parsippany, NJ 07054-4909

Mr. J. Major  
A&B Famous Gefilte fish Inc.  
209 McLean Blvd  
Paterson, NJ 07054

### ANALYSIS REPORT

REPORT DATE: APRIL 23, 2008

PROJECT NO : 813469

LAB ID NO: 813469.1

FIELD ID NO: ABFG 0415

Sample: Liquid, Sampled by Customer on 4/15/08

Parameter	Method No	Result (mg/L)	Analysis Date Time	RLs (mg/L)	DF
BOD <sub>5</sub>	405.1	451	4/17/08 7:39	2.0	1
TSS	160.2	239	4/17/08 8:00	4.0	1

**Definitions:**

pH Unit, J= Compound Detected but Below MDL, RLs= Laboratory Reporting Limits,  
MDL= Method Detection Limit, DF= Dilution Factor, ND = Not Detected  
RL = MDL x DF

Approved By:

Zvi Blank, Ph.D., CHMM  
Laboratory Director

*The Standard of Excellence in Laboratory Service*

Mr. J. Major  
A&B Famous Gefilte fish Inc.  
209 McLean Blvd  
Paterson, NJ 07054

## ANALYSIS REPORT

REPORT DATE: APRIL 22, 2008

PROJECT NO : 813469

LAB ID NO: 813469.1

FIELD ID NO: ABFG-0415

Sample: Liquid, Sampled by Customer on 4/15/08

Analysis	Method Number	Results (mg/L)	RLs (mg/L)	Analysis Date Time	DF
CADMIUM	200.7	ND(<0.004)	0.004	4/17/08 14:13	1
COPPER	200.7	0.363	0.003	4/17/08 14:13	1
NICKEL	200.7	ND(<0.01)	0.01	4/17/08 14:13	1
LEAD	200.7	0.006	0.005	4/17/08 14:13	1
ZINC	200.7	0.823	0.005	4/17/08 14:13	1
MERCURY	245.1	ND(<0.0002)	0.0002	4/21/08 19:03	1


### Definitions:

pH Unit, J= Compound Detected but Below MDL, RLs= Laboratory Reporting Limits,

MDL= Method Detection Limit, DF= Dilution Factor, ND = Not Detected

RL = MDL x DF

Submitted By:



Zvi Blank, Ph.D., CHMM  
Laboratory Director



## CHAIN OF CUSTODY

## COMPLETE ANALYSIS LABORATORIES, INC.

PAGE 1 OF 1  
(Lab use only) No. 813469

1259 ROUTE 46 BLDG. # 4  
 PARSIPPANY, NJ 07054-4909  
 PHONE: (973) 335-CALI  
 FAX: (973) 335- 0556  
 NJDEP LAB CERTIFICATION # 14964

DELIVERABLES: STD REDUCED FULL  
 (CIRCLE ONE) OTHER (Specify) \_\_\_\_\_

CLIENT	A&B FAMOUS GEFILTTE FISH INC.		
ADDRESS	209 MCLEAN BLVD		
CITY	PATERSON		
STATE	NJ	ZIP	07054

CONTACT	J. MAJOR	PHONE	(973) 523-4101X 109
PROJECT	WASTEWATER		
SAMPLER	name <u>G. Major</u>	sign	<u>[Signature]</u>
WITNESSED BY	name _____		

LAB ID	FIELD ID	SAMPLING DATE/TIME	M	T	No	P	ANALYSIS
813469.1	ABFG- 0418	4/15/03 13:10	A	C	1	C	BOD,TSS
813469.1	ABFG- 0418	4/15/03 13:10	A	C	1	Hn,C	Pb,Zn,Cd,Cu,Hg,Ni
REMARKS	COMPOSITE SAMPLER WAS SET UP ON <u>4/14/03 @ 13:00</u> ; SAMPLE WAS COLLECTED ON <u>4/15/03 @ 13:10</u> SAMPLING FREQUENCY - 30 MINUTES.						

RELINQUISHED BY		RECEIVED BY		DATE	TIME	METHOD OF RELINQUISH.	RECEIVING ORGANIZATION
NAME	SIGNATURE	NAME	SIGNATURE				
<u>G. Major</u>	<u>[Signature]</u>	<u>A. Bley</u>	<u>[Signature]</u>	<u>4/15/03</u>	<u>13:05</u>	<u>Abate up</u> <u>[Signature]</u>	<u>LAB</u>
TURNAROUND TIME:				PRIORITY AUTHORIZATION:			
M = MATRIX	A - AQUEOUS SL-SLUDGE	P - POTABLE WATER SO - SOLID	S - SOIL X - OTHER	O - OIL			
T= TYPE	C - COMPOSITE	G - GRAB	No. = NUMBER OF CONTAINERS				
P = PRESERVATIVE	H <sub>2</sub> - H <sub>2</sub> SO <sub>4</sub>	Hn-HNO <sub>3</sub>	H-HCl	N-NaOH	A-ASCORBIC ACID	C - COOL TO 4 °C	

SOP-CG-010 REV 4/96



OCT 04, 2007 09:49 A&B Famous Gefilte Fish 206-202-2451

page 1

**USER CHARGE SELF MONITORING REPORT**

MAY 21 2008

NAME: A&B FAMOUS GEFILTE FISH, INC.  
 ADDRESS: 209 MCLEAN BOULAVARD PATERSON, NJ 07504  
 FACILITY LOCATION: 209 MCLEAN BOUL AVARD PATERSON, NJ 07504  
 NEW CUSTOMER ID / OUTLET ID: 27210031 - 1 OLD OUTLET DESIGNATION:

MONITORING PERIOD					
Start			End		
Apr	01	08	Apr	30	08
MO	DAY	YR	MO	DAY	YR


VOL DISCHARGED THIS PERIOD		
66938.52		GALS
CU. FT X 7.48 = GALLONS		
51143	- 50201 =	912 X 10 X 7.48 70461.6 -5%
EFFLUENT METER READING LAST DAY THIS PERIOD		
51143	Last Period	50201

DATE	BOD	TSS
Apr 15 2008	451 (mg/l)	239 (mg/l)

DATE	BOD	TSS

FAXED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL OR AUTHORIZED AGENT	TYPE NAME AND TITLE	TELEPHONE NUMBER
	Motty Berger	973-523-4101 ext. 103
		DATE May 21, 2008

PVSC FORM MR-2 REV.3 6/93

OCT 04, 2007 09:50 A&amp;B Famous Gefilte Fish 206-202-2451

page 4

COMPLETE ANALYSIS LABORATORIES INC.



NJDEP Certified Laboratory No. 14964

973-335-CALI

FAX 973 335-0556

E-MAIL: calilabs@earthlink.net

WEBSITE: www.calilabs.com

1259 Route 46, Building #4/C

Parsippany, NJ 07054-4909

Mr. J. Major  
A&B Famous Gefilte fish Inc.  
209 McLean Blvd  
Paterson, NJ 07054

**ANALYSIS REPORT**REPORT DATE: APRIL 23, 2008PROJECT NO : 813469LAB ID NO: 813469.1FIELD ID NO: ABFG 0415

Sample: Liquid, Sampled by Customer on 4/15/08

Parameter	Method No	Result (mg/L)	Analysis Date Time	RLs (mg/L)	DF
BOD <sub>5</sub>	405.1	451	4/17/08 7:39	2.0	1
TSS	160.2	239	4/17/08 8:00	4.0	1

**Definitions:**

pH Unit, J= Compound Detected but Below MDL, RLs= Laboratory Reporting Limits,

MDL= Method Detection Limit, DF= Dilution Factor, ND - Not Detected

RL = MDL x DF

Approved By:

Zvi Blank, Ph.D., CHMM  
Laboratory Director

*The Standard of Excellence*

OCT 04, 2007 09:50 A&amp;B Famous Gefilte Fish 206-202-2451

page 6

## CHAIN OF CUSTODY

## COMPLETE ANALYSIS LABORATORIES, INC.

1259 ROUTE 46 BLDG. #4  
 PARSIPPANY, NJ 07054-4909  
 PHONE: (973) 335-CALI  
 FAX: (973) 335-0556

NJDEP LAB CERTIFICATION # 14984

PAGE 1 OF 1  
 (Lab use only) No. 813469

DELIVERABLES: ☒ STD ☐ REDUCED ☐ FULL  
 (CIRCLE ONE) OTHER (Specify) \_\_\_\_\_

CLIENT	A&B FAMOUS GEFILTTE FISH INC.			CONTACT	J. MAJOR	PHONE	(973) 523-4101X 109
ADDRESS	209 MCLEAN BLVD			PROJECT	WASTEWATER		
CITY	PATERSON			SAMPLER	name	G. Muz	sign
STATE	NJ	ZIP	07054	WITNESSED BY	name		

LAB ID	FIELD ID	SAMPLING DATE/TIME	M	T	No	P	ANALYSIS
813469.1	ABFG-0418	4/15/08 13:10	A	C	1	C	BOD, TSS
813469.1	ABFG-0418	4/15/08 13:10	A	C	1	Hn, C	Pb, Zn, Cd, Cu, Hg, Ni
REMARKS		COMPOSITE SAMPLER WAS SET UP ON 4/14/08 @ 13:00 ; SAMPLE WAS COLLECTED ON 4/15/08 @ 13:10					
		SAMPLING FREQUENCY - 30 MINUTES.					

RELINQUISHED BY		RECEIVED BY		DATE	TIME	METHOD OF RELINQUISH.	RECEIVING ORGANIZATION
NAME	SIGNATURE	NAME	SIGNATURE				
G. Muz	<i>[Signature]</i>	A. Bley	<i>[Signature]</i>	4/15/08	13:05	<i>[Signature]</i>	<i>[Signature]</i>
TURNAROUND TIME:				PRIORITY AUTHORIZATION:			
M = MATRIX	A - AQUEOUS SL-SLUDGE	P - POTABLE WATER SO - SOLID	S - SOIL X - OTHER	O - OIL			
T = TYPE	C - COMPOSITE	G - GRAB	No. = NUMBER OF CONTAINERS				
P = PRESERVATIVE	H <sub>2</sub> - H <sub>2</sub> SO <sub>4</sub>	Hn - HNO <sub>3</sub>	H - HCl	N - NaOH	A - ASCORBIC ACID	C - COOL TO 4 °C	

SOP-CG-010 REV 4/98